

MATERIAL SAFETY DATA SHEET

1



SECTION 1 - PRODUCT IDENTIFICATION AND USE ITEM A002-018 PART 1 OF 4

PRODUCT IDENTIFIER: **MERCON™WIPE** PRODUCT IDENTIFICATION NUMBER: 20-MWIPE-70
 PRODUCT USE: MERCURY VAPOUR SUPPRESSANT TOWLETTES
 PRODUCT DISTRIBUTOR: UV PROCESS SUPPLY, INC. STREET: 1229 W CORTLAND STREET CITY: CHICAGO
 STATE: IL ZIP CODE: 60614
 EMERGENCY TELEPHONE NO.: 1-800-663-8303
 NFPA RATINGS (0-4): HEALTH: 1 FIRE: 0 REACTIVITY: 0

SECTION 2 - COMPOSITION

COMPONENT:		PERCENT	LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROUTE)
PROPYLENE GLYCOL		: 40.0	20-34 G/KG (ORAL/RAT)
CAS#57-55-6		(BY WEIGHT)	
ISOPROPYL ALCOHOL		PERCENT: 15.0 - 20.0	5045 mg/kg (ORAL/RAT)
CAS#67-63-0		(BY WEIGHT)	22627 PPM (VAPOR/RAT 4HRS)
AMMONIUM CHLORIDE		PERCENT : 1.0 - 1.5	1650 MG/KG (ORAL/RAT)
CAS#12125-02-9		(BY WEIGHT)	
FERRIC CHLORIDE		PERCENT : 0.05 - 0.30	1872 MG/KG (ORAL/RAT)
CAS#10025-77-1		(BY WEIGHT)	
COPPER SULFATE		PERCENT : 0.05 - 0.20	300 MG/KG (ORAL/RAT)
CAS#7758-98-7		(BY WEIGHT)	
PROPRIETARY INGREDIENTS		PERCENT : .40.0	

SECTION 3 - PHYSICAL DATA

PHYSICAL STATE: LIGHT BROWN TOWLETTES SPECIFIC GRAVITY: 1.027 (AT 24°C)
 BOILING POINT: NOT APPLICABLE SOLUBILITY: NOT APPLICABLE
 ODOR CHARACTERISTIC: NEGLIGIBLE (ISOPROPYL ALCOHOL) VAPOR PRESSURE: NOT AVAILABLE
 EVAPORATION RATE: NOT AVAILABLE FREEZING POINT: NOT APPLICABLE
 pH: 4.3 VAPOUR DENSITY: NOT AVAILABLE
 COEFF. WATER/OIL DIST: NOT AVAILABLE

SECTION 4 - FIRE AND EXPLOSION DATA

FIRE AND EXPLOSION: MAY BE INGHITED BY OPEN FLAMES FLASH POINT: 45.0°C
 MEANS OF EXTINCTION: DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR REGULAR FOAM
 FLASHPOINT IS 45.0°C
 AUTOIGNITION TEMPERATURE: NOT AVAILABLE HAZARDOUS COMBUSTION PRODUCTS: AMMONIA, HYDROGEN CHLORIDE, and IODINE GAS
 SENSITIVITY TO IMPACT: NONE SENSITIVITY TO STATIC DISCHARGE: NONE

SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY: STABLE
 INCOMPATIBILITIES: AVOID CARBIDES, ALUMINUM, BLEACH AND STRONG OXIDANTS
 REACTIVITY: STRONG OXIDANTS, MAY CORRODE LOWER GRADE STAINLESS STEEL (CLEAN WITH WATER AFTER APPLICATION)
 HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION 6 - TOXICOLOGICAL PROPERTIES

ROUTES OF ENTRY:
 SKIN CONTACT: YES SKIN ABSORPTION: NO EYE CONTACT: YES INHALATION: YES INGESTION: YES
 EFFECTS OF ACUTE EXPOSURE: RESPIRATORY, EYE IRRITATION
 EFFECT OF CHRONIC EXPOSURE: SKIN SENSITIZER, IRRITATION, NERVOUS SYSTEM DAMAGE
 EXPOSURE LIMITS: NOT AVAILABLE IRRITANCY OF PRODUCT: MILD IRRITANT
 SENSITIZATION TO PRODUCT: YES, IODINE CARCINOGENICITY: NOT KNOWN TERATOGENICITY: NOT KNOWN
 MUTAGENICITY: NOT KNOWN SYNERGISTIC PRODUCTS: NOT KNOWN

SECTION 7 - PREVENTATIVE MEASURES

GLOVES: RUBBER RESPIRATORY: MSHA/NIOSH APPROVED RESPIRATORY EYE: GOGGLES FOOTWEAR: NON PERMEABLE
 CLOTHING: LAB COAT
 LEAK AND SPILL PROCEDURE: MOP UP AND FLUSH WITH WATER
 WASTE DISPOSAL: UNCONTAMINATED WITH MERCURY, RECYCLE WHERE AVAILABLE; WHEN CONTAMINATED, AS HAZARDOUS WASTE
 HANDLING PROCEDURE: WASH HANDS THOROUGHLY AFTER HANDLING STORAGE REQUIREMENTS: STORE AT ROOM TEMPERATURE OUT OF DIRECT SUNLIGHT, KEEP AWAY FROM HEAT SOURCES
 SPECIFIC SHIPPING INFORMATION: SEE SECTION 9
 ENGINEERING CONTROLS: ENSURE THAT EYEWASH STATIONS AND SAFETY SHOWERS ARE PROXIMAL TO THE WORKSTATION LOCATION.

SECTION 8 - FIRST AID MEASURES

INHALATION: PROVIDE FRESH AIR IMMEDIATELY, IF BREATHING HAS STOPPED GIVE CPR. GET MEDICAL ATTENTION.
 SKIN CONTACT: WASH AFFECTED AREA WITH SOAP AND WATER. IF RASH PERSISTS GET MEDICAL ATTENTION
 EYE CONTACT: FLUSH WITH WATER. GET MEDICAL ATTENTION
 INGESTION: DRINK MILK. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION

SECTION 9 - TRANSPORT INFORMATION

CANADA: NOT REGULATED AS DANGEROUS GOODS
 UNITED STATES: NOT REGULATED AS HAZARDOUS

SECTION 10 - PREPARATION OF MSDS

PREPARATION: TECHNICAL SERVICES PHONE: 1-800-663-8303 DATE: 1/5/06

Notice to Reader: To the best of our knowledge, the information contained herein is accurate. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. **END OF MSDS.**

MATERIAL SAFETY DATA SHEET

1



SECTION 1 - PRODUCT IDENTIFICATION AND USE ITEM A002-018 PART 2 OF 4

PRODUCT IDENTIFIER: **MERCON™MVAP** PRODUCT IDENTIFICATION NUMBER: 20-MVAP
 PRODUCT USE: MERCURY VAPOUR SUPPRESSANT
 PRODUCT DISTRIBUTOR: UV PROCESS SUPPLY, INC. STREET: 1229 W CORTLAND STREET CITY: CHICAGO
 STATE: IL ZIP CODE: 60614
 EMERGENCY TELEPHONE NO.: 1-800-663-8303
 NFPA RATINGS (0-4): HEALTH: 1 FIRE: 3 REACTIVITY: 0

SECTION 2 - COMPOSITION

COMPONENT:	PROPYLENE GLYCOL	PERCENT : 60.0	20-34 G/KG (ORAL/RAT)
	CAS#57-55-6	(BY WEIGHT)	
COMPONENT:	METHANOL	PERCENT: 15.0 - 20.0	6200 MG/KG (ORAL/RAT)
	CAS#67-56-1	(BY WEIGHT)	64000 PPM (VAPOR/RAT 4HRS)
COMPONENT:	AMMONIUM CHLORIDE	PERCENT : 1.0 - 1.5	1650 MG/KG (ORAL/RAT)
	CAS#12125-02-9	(BY WEIGHT)	
COMPONENT:	FERRIC CHLORIDE	PERCENT : 0.05 - 0.30	1872 MG/KG (ORAL/RAT)
	CAS#10025-77-1	(BY WEIGHT)	
COMPONENT:	COPPER SULFATE	PERCENT : 0.05 - 0.20	300 MG/KG (ORAL/RAT)
	CAS#7758-98-7	(BY WEIGHT)	
COMPONENT:	PROPRIETARY INGREDIENTS	PERCENT : 9.0	

SECTION 3 - PHYSICAL DATA

PHYSICAL STATE: BROWN LIQUID	SPECIFIC GRAVITY: 1.1 (AT 24°C)	
BOILING POINT: 98°C	SOLUBILITY: NOT AVAILABLE	
ODOR THRESHOLD: 2000 PPM (METHANOL)	VAPOR PRESSURE: NOT AVAILABLE	EVAPORATION RATE: NOT AVAILABLE
FREEZING POINT: NOT AVAILABLE	pH: NOT AVAILABLE	
VAPOUR DENSITY: NOT AVAILABLE	COEFF. WATER/OIL DIST: NOT AVAILABLE	

SECTION 4 - FIRE AND EXPLOSION DATA

FIRE AND EXPLOSION: MAY BE IGNITED BY OPEN FLAMES	FLASH POINT: PENSKY MARTINS CC 30°C
MEANS OF EXTINCTION: DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR REGULAR FOAM	
UPPER FLAMMABILITY LIMIT (%BY VOLUME): 36.5 (METHANOL)	LOWER FLAMMABILITY LIMIT (%BY VOLUME): 6% METHANOL
AUTOIGNITION TEMPERATURE: NOT AVAILABLE	FLAMMABLE
HAZARDOUS COMBUSTION PRODUCTS: AMMONIA, IODINE GAS	
SENSITIVITY TO IMPACT: NONE	SENSITIVITY TO STATIC DISCHARGE: NONE

SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY: STABLE
 INCOMPATIBILITIES: AVOID CARBIDES, ALUMINUM, BLEACH AND STRONG OXIDANTS
 REACTIVITY: MAY CORRODE LOWER GRADE STAINLESS STEEL (CLEAN WITH WATER AFTER APPLICATION)
 HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION 6 - TOXICOLOGICAL PROPERTIES

ROUTES OF ENTRY:	
SKIN CONTACT: YES	SKIN ABSORPTION: NO
EYE CONTACT: YES	INHALATION: YES
EFFECTS OF ACUTE EXPOSURE: RESPIRATORY, EYE IRRITATION, BLINDNESS (METHANOL)	INGESTION: YES
EFFECT OF CHRONIC EXPOSURE: SKIN SENSITIZER, IRRITATION, NERVOUS SYSTEM DAMAGE	
EXPOSURE LIMITS: NOT AVAILABLE	IRRITANCY OF PRODUCT: MILD IRRITANT
SENSITIZATION TO PRODUCT: YES, IODINE	CARCINOGENICITY: NOT KNOWN
TERATOGENICITY: NOT KNOWN	REPRODUCTIVE TOXICITY: NOT KNOWN
MUTAGENICITY: NOT KNOWN	SYNERGISTIC PRODUCTS: NOT KNOWN

SECTION 7 - PREVENTATIVE MEASURES

GLOVES: RUBBER	RESPIRATORY: NIOSH DUST/MIST	EYE: GOGGLES	FOOTWEAR: NON PERMEABLE	CLOTHING: NONE
ENGINEERING CONTROLS: NONE			LEAK AND SPILL PROCEDURE: MOP UP AND FLUSH WITH WATER	
WASTE DISPOSAL: UNCONTAMINATED WITH MERCURY, RECYCLE WHERE AVAILABLE, CONTAMINATED, AS HAZARDOUS WASTE			STORAGE REQUIREMENTS: STORE AT ROOM TEMPERATURE OUT OF	
HANDLING PROCEDURE: WASH THOROUGHLY AFTER HANDLING			DIRECT SUNLIGHT	
SPECIFIC SHIPPING INFORMATION: SEE SECTION 9				

SECTION 8 - FIRST AID MEASURES

INHALATION: PROVIDE FRESH AIR IMMEDIATELY, IF BREATHING HAS STOPPED GIVE CPR. GET MEDICAL ATTENTION.
 SKIN CONTACT: WASH AFFECTED AREA WITH SOAP AND WATER. IF RASH PERSISTS GET MEDICAL ATTENTION
 EYE CONTACT: FLUSH WITH WATER. GET MEDICAL ATTENTION
 INGESTION: DRINK MILK. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION

SECTION 9 - TRANSPORT INFORMATION

CANADA :FLAMMABLE LIQUID, TOXIC, N.O.S. UN 1992, Class 3, SUB RISK 6.1, PG III
 UNITED STATES: GROUND: ORM-D, CONSUMER COMMODITY

SECTION 10 - PREPARATION OF MSDS

PREPARATION: TECHNICAL SERVICES PHONE: 1-800-663-8303 DATE: 1/5/06

NOTICE TO READER: To the best of our knowledge, the information contained herein is accurate. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. **END OF MSDS.**

MATERIAL SAFETY DATA SHEET

1



SECTION 1 - PRODUCT IDENTIFICATION AND USE ITEM A002-018 PART 3 OF 4

PRODUCT IDENTIFIER: **MERCON™SPRAY**

PRODUCT IDENTIFICATION NUMBER: 20-MSPRAY

PRODUCT USE: MERCURY VAPOUR SUPPRESSANT

PRODUCT DISTRIBUTOR: UV PROCESS SUPPLY, INC.

STREET: 1229 W CORTLAND STREET

CITY: CHICAGO

STATE: IL

ZIP CODE: 60614

EMERGENCY TELEPHONE NO.: 1-800-663-8303

NFPA RATINGS (0-4): HEALTH: 1

FIRE: 3

REACTIVITY: 0

SECTION 2 - COMPOSITION

LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROUTE)

COMPONENT:	PROPYLENE GLYCOL	PERCENT : 60.0	20-34 G/KG (ORAL/RAT)
	CAS#57-55-6	(BY WEIGHT)	
COMPONENT:	METHANOL	PERCENT: 20.0 – 30.0	6200 MG/KG (ORAL/RAT)
	CAS#67-56-1	(BY WEIGHT)	64000 PPM (VAPOR/RAT 4HRS)
COMPONENT:	AMMONIUM CHLORIDE	PERCENT : 1.0 - 1.5	1650 MG/KG (ORAL/RAT)
	CAS#12125-02-9	(BY WEIGHT)	
COMPONENT:	FERRIC CHLORIDE	PERCENT : 0.05 - 0.30	1872 MG/KG (ORAL/RAT)
	CAS#10025-77-1	(BY WEIGHT)	
COMPONENT:	COPPER SULFATE	PERCENT : 0.05 - 0.20	300 MG/KG (ORAL/RAT)
	CAS#7758-98-7	(BY WEIGHT)	
COMPONENT:	PROPRIETARY INGREDIENTS	PERCENT : 9.0	

SECTION 3 - PHYSICAL DATA

PHYSICAL STATE: BROWN LIQUID	SPECIFIC GRAVITY: 1.027 (AT 24°C)	
BOILING POINT: NOT AVAILABLE	SOLUBILITY: NOT AVAILABLE	
ODOR THRESHOLD: 2000 PPM (METHANOL)	VAPOR PRESSURE: AIR=1, 1.0	EVAPORATION RATE: NOT AVAILABLE
FREEZING POINT: NOT AVAILABLE	pH: NOT AVAILABLE	
VAPOUR DENSITY: NOT AVAILABLE	COEFF. WATER/OIL DIST: NOT AVAILABLE	

SECTION 4 - FIRE AND EXPLOSION DATA

FIRE AND EXPLOSION: MAY BE IGNITED BY OPEN FLAMES	FLASH POINT: PENSKY MARTINS CC 25°C
MEANS OF EXTINCTION: DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR ALCOHOL RESISTANT FOAM	
UPPER FLAMMABILITY LIMIT (%BY VOLUME): 36.5 (METHANOL)	LOWER FLAMMABILITY LIMIT (%BY VOLUME): 6% METHANOL
AUTOIGNITION TEMPERATURE: NOT AVAILABLE	FLAMMABLE
HAZARDOUS COMBUSTION PRODUCTS: AMMONIA, IODINE GAS	
SENSITIVITY TO IMPACT: NONE	SENSITIVITY TO STATIC DISCHARGE: NONE

SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY: STABLE
 INCOMPATIBILITIES: AVOID CARBIDES, ALUMINUM, BLEACH AND STRONG OXIDANTS
 REACTIVITY: MAY CORRODE LOWER GRADE STAINLESS STEEL (CLEAN WITH WATER AFTER APPLICATION)

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION 6 - TOXICOLOGICAL PROPERTIES

ROUTES OF ENTRY:	
SKIN CONTACT: YES	SKIN ABSORPTION: NO
EYE CONTACT: YES	INHALATION: YES
	INGESTION: YES
EFFECTS OF ACUTE EXPOSURE: RESPIRATORY, EYE IRRITATION, BLINDNESS (METHANOL)	
EFFECT OF CHRONIC EXPOSURE: SKIN SENSITIZER, IRRITATION, NERVOUS SYSTEM DAMAGE	
EXPOSURE LIMITS: NOT AVAILABLE	IRRITANCY OF PRODUCT: MILD IRRITANT
SENSITIZATION TO PRODUCT: YES, IODINE	CARCINOGENICITY: NOT KNOWN
TERATOGENICITY: NOT KNOWN	REPRODUCTIVE TOXICITY: NOT KNOWN
MUTAGENICITY: NOT KNOWN	SYNERGISTIC PRODUCTS: NOT KNOWN

SECTION 7 - PREVENTATIVE MEASURES

GLOVES: RUBBER	RESPIRATORY: NIOSH DUST/MIST	EYE: GOGGLES	FOOTWEAR: NON PERMEABLE	CLOTHING: NONE
ENGINEERING CONTROLS: NONE			LEAK AND SPILL PROCEDURE: MOP UP AND FLUSH WITH WATER	
WASTE DISPOSAL: UNCONTAMINATED WITH MERCURY NORMAL CHANNELS, WHEN CONTAMINATED AS HAZARDOUS WASTE			STORAGE REQUIREMENTS: STORE AT ROOM TEMPERATURE OUT OF	
HANDLING PROCEDURE: WASH THOROUGHLY AFTER HANDLING			DIRECT SUNLIGHT	
SPECIFIC SHIPPING INFORMATION: NONE				

SECTION 8 - FIRST AID MEASURES

INHALATION: PROVIDE FRESH AIR IMMEDIATELY, IF BREATHING HAS STOPPED GIVE CPR. GET MEDICAL ATTENTION.
 SKIN CONTACT: WASH AFFECTED AREA WITH SOAP AND WATER. IF RASH PERSISTS GET MEDICAL ATTENTION
 EYE CONTACT: FLUSH WITH WATER. GET MEDICAL ATTENTION
 INGESTION: DRINK MILK. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION

SECTION 9 – TRANSPORT INFORMATION

CANADA :FLAMMABLE LIQUID, TOXIC, N.O.S. UN 1992, Class 3, SUB RISK 6.1, PG III
 UNITED STATES: GROUND: ORM-D, CONSUMER COMMODITY

SECTION 10 – PREPARATION OF MSDS

PREPARATION: TECHNICAL SERVICES

PHONE: 1-800-663-8303

DATE: 1/5/06

NOTICE TO READER: To the best of our knowledge, the information contained herein is accurate. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. **END OF MSDS.**

MATERIAL SAFETY DATA SHEET

1

SECTION 1 - PRODUCT IDENTIFICATION AND USE ITEM A002-018 PART 4 OF 4

PRODUCT IDENTIFIER: **MERCON™TAINER**

PRODUCT IDENTIFICATION NUMBER: 20-MCNT-16

PRODUCT USE: MERCURY WASTE STORAGE CONTAINER

PRODUCT DISTRIBUTOR: UV PROCESS SUPPLY, INC.

STREET: 1229 W CORTLAND STREET

CITY: CHICAGO

STATE: IL

ZIP CODE: 60614

EMERGENCY TELEPHONE NO.: 1-800-663-8303

NFPA RATINGS (0-4): HEALTH: 1 FIRE: 0

REACTIVITY: 0

SECTION 2 - COMPOSITION

LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROUTE)

COMPONENT:	PROPYLENE GLYCOL	PERCENT : 60.0
	CAS#57-55-6	(BY WEIGHT)
COMPONENT:	COPPER SULFATE	PERCENT : 1.0-2.0
	CAS#7758-98-7	(BY WEIGHT)
COMPONENT:	POTASSIUM IODIDE	PERCENT : 0.5-1.5
	CAS#7681-11-0	(BY WEIGHT)
COMPONENT:	SODIUM THIOSULFATE	PERCENT : 0.5-1.5
	CAS#7772-98-7	(BY WEIGHT)
COMPONENT:	PROPRIETARY INGREDIENTS	PERCENT: 37.0
		(BY WEIGHT)

20-34 G/KG (ORAL/RAT)

SECTION 3 - PHYSICAL DATA

PHYSICAL STATE: FOAM PAD SATURATED IN CREAMY BEIGE SUSPENSION

SPECIFIC GRAVITY: NOT AVAILABLE

BOILING POINT: >100°C

SOLUBILITY: SLIGHTLY IN WATER

ODOR THRESHOLD: NOT AVAILABLE

VAPOR PRESSURE: NOT AVAILABLE

EVAPORATION RATE: NOT AVAILABLE

FREEZING POINT: NOT AVAILABLE

pH: NOT AVAILABLE

VAPOUR DENSITY: NOT AVAILABLE

COEFF. WATER/OIL DIST: NOT AVAILABLE

SECTION 4 - FIRE AND EXPLOSION DATA

FIRE AND EXPLOSION: NOT FLAMMABLE

FLASH POINT: NOT AVAILABLE

MEANS OF EXTINCTION: DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR REGULAR FOAM

UPPER FLAMMABILITY LIMIT (%BY VOLUME): NOT AVAILABLE

LOWER FLAMMABILITY LIMIT (%BY VOLUME): NOTAVAILABLE

AUTOIGNITION TEMPERATURE: NOT AVAILABLE

HAZARDOUS COMBUSTION PRODUCTS: SULPHUR DIOXIDE, HYDROGEN SULFIDE

SENSITIVITY TO IMPACT: NONE

SENSITIVITY TO STATIC DISCHARGE: NONE

SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY: STABLE

INCOMPATIBILITIES: OXIDATION MAY OCCUR WITH SOME PLATED MATERIALS

REACTIVITY: NONE

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION 6 - TOXICOLOGICAL PROPERTIES

ROUTES OF ENTRY:

SKIN CONTACT: YES

SKIN ABSORPTION: NO

EYE CONTACT: YES

INHALATION: NO

INGESTION: YES

EFFECTS OF ACUTE EXPOSURE: TEMPORARY IRRITATION OF STOMACH

EFFECT OF CHRONIC EXPOSURE: NOT AVAILABLE

EXPOSURE LIMITS: NOT AVAILABLE

IRRITANCY OF PRODUCT: MILD IRRITANT

SENSITIZATION TO PRODUCT: YES, IODINE

CARCINOGENICITY: NOT KNOWN

TERATOGENICITY: NOT KNOWN

REPRODUCTIVE TOXICITY: NOT KNOWN

MUTAGENICITY: NOT KNOWN

SYNERGISTIC PRODUCTS: NOT KNOWN

SECTION 7 - PREVENTATIVE MEASURES

GLOVES: RUBBER

RESPIRATORY: NONE

EYE: NONE

FOOTWEAR: NONE

CLOTHING: NONE

ENGINEERING CONTROLS: NONE

LEAK AND SPILL PROCEDURE: MOP UP AND FLUSH WITH WATER

WASTE DISPOSAL: WHEN CONTAMINATED AS HAZARDOUS WASTE

HANDLING PROCEDURE: WASH THOROUGHLY AFTER HANDLING

STORAGE REQUIREMENTS: STORE AT ROOM TEMPERATURE OUT OF

SPECIFIC SHIPPING INFORMATION: NONE

DIRECT SUNLIGHT

SECTION 8 - FIRST AID MEASURES

INHALATION: PROVIDE FRESH AIR IMMEDIATELY, IF BREATHING HAS STOPPED GIVE CPR. GET MEDICAL ATTENTION.

SKIN CONTACT: WASH AFFECTED AREA WITH SOAP AND WATER. IF RASH PERSISTS GET MEDICAL ATTENTION

EYE CONTACT: FLUSH WITH WATER. GET MEDICAL ATTENTION

INGESTION: DRINK MILK. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION

SECTION 9 - TRANSPORT INFORMATION

CANADA: NOT REGULATED

UNITED STATES: AIR : NOT SUBJECT TO IATA,

GROUND: NOT REGULATED

SECTION 10 - PREPARATION OF MSDS

PREPARATION: TECHNICAL SERVICES

PHONE: 1-800-663-8303

DATE: 1/5/06

